


New Development in Analytical Techniques



APIMONDIA 2011
BUENOS AIRES • ARGENTINA
septiembre



Evolution of Analytical Method




Determination in Honey


Compound	Analytical Method	Detection Limit (LD)
		(ug/kg)
Amitraz	GC/ECD	4,8
Chloramphenicol	RIA	0,1
	HPLC-MS/MS	0,01
Coumaphos	GC/FPD	1,1
Fluvalinate	GC/ECD	2,8
Nitrofurantol Metabolites	HPLC-MS/MS	0,1
Phenol	GC-Ion Trap	2,0
Streptomycin	HPLC/FL	10,0
	HPLC-MS/MS	1,0
Sulfonamides	HPLC/FL	5,0
	HPLC-MS/MS	0,5
Tetracyclines	HPLC/DAD	5,0
Tylosin	HPLC-MS/MD	0,05

Oxytetracyclin Residues


Year 2010




Tylosin Residues Year 2010




Nitrofuran Metabolites Residues Year 2010




Nitrofuran Metabolites Residues Year 2010




Coumaphos Residues Year 2010



Sulfonamides Residues Year 2001 & 2010



Sulfonamides Residues Year 2010



Gracias

Thank You

Merci

Danke

Grazie



APIMONDIA 2011
BUENOS AIRES • ARGENTINA
septiembre  

Спасибо

Obrigado

Köszönöm

Teşekkür Ederim

谢谢

ありがとう

감사합니다